



276

Onyx Collection



Onyx Spotlight Page 279 7W - 21W See unios.com/onyxspot for more details Page 283 See unios.com/onyxwall for more details Onyx Wall Light




Onyx Spotlight



Finish

LED CCT



IP Rating

Class Rating




Powder Coated Aluminium

Class I







	LED Power	Lumens (at 30	000K) Be	am	Weight	
Onyx One	7W (700mA)	552lm	35°		620g	
Onyx Two	14W (300mA)	2 x 552lm	35°		1.3kg	
Onyx Three	21W (700mA)	3 x 552lm	35°		2.1kg	
mation	Design		Performance		Driver	
Wall Surface,	Family	Onyx	Lumen efficacy	Up to 78lm/W	Phase Cut	Built-in
Ceiling Surface	Adjustability	Adjustability 350° Rotation, 90° Tilt Material Powder Coated Aluminium	CRI (Ra/R9)	80+ (R9: >0)	DALI	Remote
■ Textured Black Finish □ Textured White ■ Textured Grey			Lifetime (Ta 25°C)	>60,000h L80B10	Bluetooth	Remote (must be installed in pairs)
	Material		Ambient	10°- 30°C	Dioecootii	
	Onyx Two Onyx Three mation Wall Surface, Ceiling Surface Textured Black Textured White	Onyx One 7W (700mA) Onyx Two 14W (300mA) Onyx Three 21W (700mA) mation Design Family Ceiling Surface, Ceiling Surface Textured Black Textured White	Onyx One 7W (700mA) 552lm Onyx Two 14W (300mA) 2 x 552lm Onyx Three 21W (700mA) 3 x 552lm mation Design Wall Surface, Ceiling Surface Family Onyx Ceiling Surface Adjustability 350° Rotation, 90° Tilt Textured Black Textured White Powder Coated	Onyx One 7W (700mA) 552lm 35° Onyx Two 14W (300mA) 2 x 552lm 35° Onyx Three 21W (700mA) 3 x 552lm 35° mation Design Performance Wall Surface, Ceiling Surface Family Onyx Lumen efficacy Ceiling Surface Adjustability 350° Rotation, 90° Tilt CRI (Ra/R9) Textured Black Textured White Powder Coated Ambient Textured Grey Material Powder Coated Ambient	Onyx One 7W (700mA) 552lm 35° Onyx Two 14W (300mA) 2 x 552lm 35° Onyx Three 21W (700mA) 3 x 552lm 35° mation Design Performance Wall Surface, Ceiling Surface Family Onyx Lumen efficacy Up to 78lm/W Ceiling Surface Adjustability 350° Rotation, 90° Tilt CRI (Ra/R9) 80+ (R9: >0) Textured White Textured Grave Material Powder Coated Ambient	Onyx One 7W (700mA) 552lm 35° 620g Onyx Two 14W (300mA) 2 x 552lm 35° 1.3kg Onyx Three 21W (700mA) 3 x 552lm 35° 2.1kg mation Design Performance Driver Wall Surface, Ceiling Surface Family Onyx Lumen efficacy Up to 78lm/W Phase Cut Ceiling Surface Adjustability 350° Rotation, 90° Tilt CRI (Ra/R9) 80+ (R9: >0) DALI Textured Black Textured White Material Powder Coated Aluminium Ambient 10°= 30°C

Ambient Temperature Range

SDCM















Onyx One Spotlight 7W Textured White Chatsworth Rd, Seeson



Onyx **Wall Light**



		LED Power	Lumens (at 3	000K) E	Beam	Weight	
1 Onyx Wall Light		8W (700mA)	730lm	40°		1.0kg	
Key Informat	ion	Design		Performance		Driver	
Mounting	Wall Surface	Material	Powder Coated Aluminium	Lumen efficacy	Up to 89lm/W	Phase Cut	Built-in
	■ Textured Black	Material		CRI (Ra/R9)	80+ (R9: >0)	DALI	Remote
	☐ Textured White	IP Rating	IP65	Lifetime (Ta 25°C)	>60.000h L80B10		
	■ Textured Grey	Class Rating	Class I	Ambient			
LED CCT	3000K			Temperature Ran	10°-30°C		
Warranty	3 Years			SDCM	≤3		









Onyx Wall Light Textured Black Knox Children & Family Centre

